SPECIFICATIONS FOR CONNECTOR

MODEL NO.
CB32P300LC00$
VER.01

RoHS COMPLIANT

FOR MESSRS:

_____

ON DATE OF:

_____

APPROVED BY:

_____

BOLYMIN, INC.
5F, No. 38, Keya Rd., Daya Dist., Central Taiwan Science Park, Taichung City, 42881, Taiwan.
Web Site:http://www.bolymin.com.tw TEL:+886-4-25658689 FAX:+886-4-25658698

History of Version

Version	Contents	Date	Note
01	NEW VERSION	2016/10/17	SPEC.



WIRE LIST

SIDE A		SIDE B	SIDE A		SIDE B	SIDE A		SIDE B	SIDE A		SIDE B
TIN	BLACK	1	TIN	BLACK	11	TIN	BLACK	21	TIN	BLACK	31
TIN	BROWN	2	TIN	BROWN	12	TIN	BROWN	22	NC		32
TIN	RED	3	TIN	RED	13	TIN	RED	23			
TIN	ORANGE	4	TIN	ORANGE	14	TIN	ORANGE	24			
NC		5	TIN	YELLOW	15	TIN	YELLOW	25			
TIN	GREEN	6	TIN	GREEN	16	TIN	GREEN	26			
NC		7	TIN	BLUE	17	TIN	BLUE	27			
TIN	PURPLE	8	TIN	PURPLE	18	NC		28			
TIN	GREY	9	TIN	GREY	19	TIN	GREY	29			
NC		10	TIN	WHITE	20	NC		30			

RoHS

TOLERANCE UNLESS OTHERWISE SPEC.							NO.	REV.	DESCRIPTION	LOCA	DRAW	DATE
	F	G	H	J	K	L						
~ 8	±0.05	±0.1	±0.1	±0.2	±0.2	±0.4						
8 ~ 25	±0.08	±0.15	±0.15	±0.3	±0.3	±0.6						
25 ~ 80	±0.12	±0.2	±0.25	±0.4	±0.5	±0.8						
80 ~250	±0.25	±0.3	±0.4	±0.6	±0.8	±1.2						
250~	±0.5	±0.6	±0.8	±1.0	±1.5	±2.0						

寶麗明股份有限公司
BOLYMIN,INC

APPROVAL / DATE		PART_NAME	Cable	TITLE	NA
CHECK / DATE		PART_NO.	CB32P300LC00	MATERIAL	NA
DRAW / DATE	Dean 2016.10.17	VERSION	0	SURFACE	NA
		UNIT	m m	TOL. UNLESS NOTED.	NA
		SCALE	1/1	SHEET 1 OF	1