Support bracket - AB/SS-M - 3025888

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Support bracket made from insulation material, with retaining screw, can be used for 3 x 10 mm busbar, color: gray

Your advantages

- For mounting SK and SKS shield connection clamps
- AB/SS-M for non-isolated installation on the mounting plate

RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	4 017918 147549
GTIN	4017918147549
Weight per Piece (excluding packing)	9.720 g
Custom tariff number	85472000
Country of origin	Poland

Technical data

Dimensions

Length (b)	23.4 mm
Width (a)	19.4 mm
Height (c)	21.7 mm

General

Color	gray
Components	free from silicone and halogen

Support bracket - AB/SS-M - 3025888

Technical data

General

Flammability rating according to UL 94	V0
Material	PA

Standards and Regulations


Flammability rating according to UL 94	V0

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



Classifications

eCl@ss

eCl@ss 10.0.1	27400607
eCl@ss 11.0	27400607
eCl@ss 4.0	23150300
eCl@ss 4.1	23150300
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27400600
eCl@ss 7.0	27400607
eCl@ss 8.0	27400607
eCl@ss 9.0	27400607

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC002270

Support bracket - AB/SS-M - 3025888

Classifications

ETIM

ETIM 5.0	EC001166
ETIM 6.0	EC001166
ETIM 7.0	EC001166

UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708
UNSPSC 18.0	39121708
UNSPSC 19.0	39121708
UNSPSC 20.0	39121708
UNSPSC 21.0	39121708

Phoenix Contact 2020 © - all rights reserved
http://www.phoenixcontact.com